

□

ANALYSIS OF SPATIAL DATA IN EPIDEMIOLOGY

Prof. Dr. Maria A Barceló and Prof. Dr. Marc Saez

September 8, 10, 14 and 16, 2021

Research Group on Statistics, Econometrics and Health (GRECS), University of Girona
CIBER of Epidemiology and Public Health (CIBERESP)

COURSE INTRODUCTION

1. Course introduction
2. Introduction to epidemiology and spatial statistics
3. Overview of mixed models
4. Overview of mixed models - Practicals
5. Introduction to INLA and R INLA
6. R INLA - Practicals

Wednesday 8

Friday 10

COURSE INTRODUCTION

- 7. Disease mapping. Standardisation of incidence and mortality rates
- 8. Disease mapping. Smoothing standardised incidence and mortality rates
- 9. Disease mapping – Practicals
- 10. Geographical association studies. Spatial ecological regression**
- 11. Spatial ecological regression - Practicals

Tuesday 14

COURSE INTRODUCTION

- 12. Clustering
- 13. Extensions: BYM2, point processes, leaflet, pc priors
- 14. Extensions – Practicals

} Thursday 16

EPIDEMIOLOGY AND SPATIAL EPIDEMIOLOGY

Remember we said that it is in our interest to consider the spatial component:

- Because we are explicitly interested in the spatial pattern of the risk factor: **disease maps**
- Because it contains a large part of the non-observed confounding: **spatial regression**
- Because we observe agglomerations in the space: **cluster detection**
- Because we are interested in the effects of a pollutant source on the health of the residents in the surrounding area: **source identification**

SPATIAL ECOLOGICAL REGRESSION

The objective of **spatial ecological regression** is to examine how geographical variations in health response variables are related to geographical variations in the exposure of interest (for example, pollution).


SPATIAL ECOLOGICAL REGRESSION

- Association between risk and exposure at the area level.
- It consists of introducing explanatory variables (that capture the geographical variations in the exposure of interest) in the hierarchical models used to smooth the mortality and/or incidence rates (BYM or log-Cox-Gaussian).
- In these models, we can control for other possible confounding factors by introducing them as additional explanatory variables.

SPATIAL ECOLOGICAL REGRESSION

Example: Leukaemia in children and benzene

Best et al, 2001, JRSSA



Small positive association found between average annual benzene emissions and risk of childhood leukaemia

SPATIAL ECOLOGICAL REGRESSION

Example:

Figure 2. (a) Observed colorectal incidence rates and (b) smoothed cancer incidence rates adjusted for deprivation and age by census tract in seven Spanish provinces during the period 2010–2013.

